



Facility Information Detail (FIND)

[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#) | [Transportation](#)

Facility Details

Facility ID 8943
Company Name ASSOCIATED PLATING CO
Address 9636 ANN ST
SANTA FE SPRINGS, CA 90670

[View Area Map](#)

Status SOLD

SIC Code	Description
3471	PLATING AND POLISHING

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



Facility Information Detail (FIND)

[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#) | [Transportation](#)

Equipment List

Facility ID 8943
Company Name ASSOCIATED PLATING CO
Address 9636 ANN ST
 SANTA FE SPRINGS, CA 90670

Appl_Nbr	Permit_Nbr	Issued_Date	Permit_Status	Eq_Type	Equip_Description	Appl_Date	Appl_Status
315256	F6339	4/9/1997	INACTIVE	Basic	TANK, SURFACE PREPARATION - OTHER ACIDS	4/12/1996	PERMIT TO OPERATE GRANTED
315257	F6341	4/9/1997	INACTIVE	Control	SCRUBBER, OTHER VENTING S.S.	4/12/1996	PERMIT TO OPERATE GRANTED
303166	D91134	6/5/1995	INACTIVE	Control	SCRUBBER, PARTICULATES VENTING M.S.	5/4/1995	PERMIT TO OPERATE GRANTED
300849	D89643	4/4/1995	INACTIVE	Basic	STORAGE TANK W/SPARGER HYDROCHLORIC ACID	2/8/1995	PERMIT TO OPERATE GRANTED
300847	D91131	6/5/1995	INACTIVE	Basic	TANK, PRECIOUS METAL - PLATING	2/8/1995	PERMIT TO OPERATE GRANTED
C16705	M16559	3/27/1981	INACTIVE	Basic	DEGREASER PERCHLOROETHYLENE (>1lb VOC/d)	1/1/1990	PERMIT TO OPERATE GRANTED
C16703	M16557	3/27/1981	INACTIVE	Basic	DIP TANK COATING MISC	1/1/1990	PERMIT TO OPERATE GRANTED
C16703	M16557	3/27/1981	INACTIVE	Control	ELECTROSTATIC PRECIP LO VOLT (<3000 CFM)	1/1/1990	PERMIT TO OPERATE GRANTED
C35219	M25206	6/22/1982	INACTIVE	Control	SCRUBBER, OTHER VENTING S.S.	1/1/1990	PERMIT TO OPERATE GRANTED
C35218	M25414	6/22/1982	INACTIVE	Control	SCRUBBER, OTHER VENTING S.S.	1/1/1990	PERMIT TO OPERATE GRANTED
200708	D56855	1/19/1993	INACTIVE	Basic	MISC STRIPPING TANK	6/2/1989	PERMIT TO OPERATE GRANTED
200704	D56852	1/19/1993	INACTIVE	Basic	TANK, LEAD - PLATING	6/2/1989	PERMIT TO OPERATE GRANTED
200702	D56851	1/19/1993	INACTIVE	Basic	TANK, OTHER AQUEOUS SOLUTION	6/2/1989	PERMIT TO OPERATE GRANTED
200709	D56856	1/19/1993	INACTIVE	Basic	TANK, OTHER AQUEOUS SOLUTION	6/2/1989	PERMIT TO OPERATE GRANTED
200710	D56857	1/19/1993	INACTIVE	Basic	TANK, OTHER AQUEOUS SOLUTION	6/2/1989	PERMIT TO OPERATE GRANTED
200707	D56854	1/19/1993	ACTIVE	Basic	TANK, PRECIOUS METAL - PLATING	6/2/1989	PERMIT TO OPERATE GRANTED
200706	D56853	1/19/1993	INACTIVE	Basic	TANKS, NICKEL PLATING LINE	6/2/1989	PERMIT TO OPERATE GRANTED
120895	M38273	7/12/1984	INACTIVE	Control	ADSORBER (DRY CLEANING), NON-REGENERATIV	3/22/1984	PERMIT TO OPERATE GRANTED
C16702	M16558	3/27/1981	INACTIVE	Basic	DIP TANK COATING MISC		PERMIT TO OPERATE GRANTED
C37549	M25205	6/22/1982	INACTIVE	Basic	STORAGE TANK OTHER SOLVENTS N.E.C.		PERMIT TO OPERATE GRANTED
					ELECTROSTATIC PRECIP LO VOLT		PERMIT TO OPERATE

C16702	M16558	3/27/1981	INACTIVE	Control	(<3000 CFM)		GRANTED
------------------------	--------	-----------	----------	---------	-------------	--	---------

First	Prev	Page 1 of 1 (21 records)	Next	Last	Page 1	Export To Excel
-------	------	--------------------------	------	------	--------	-----------------

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 16558

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: ASSOCIATED PLATING CO.
9636 ANN
EQUIPMENT LOCATED AT: SANTA FE SPRINGS, CALIFORNIA

APPL. NO. C-16702

EQUIPMENT DESCRIPTION AND CONDITIONS:

- AIR POLLUTION CONTROL SYSTEM CONSISTING OF:
1. ELECTROSTATIC PRECIPITATOR, CETRON, MODEL NO. B-11-1DE, 150 WATT INPUT.
 2. EXHAUST SYSTEM, WITH A 1/2-H.P. BLOWER VENTING ONE HOT-OIL TANK.

-CONDITION-

THIS PRECIPITATOR MUST BE INSPECTED AND CLEANED AT LEAST ONCE A WEEK.

FILE COPY

This initial permit must be renewed by 3-27-82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAF00043 2500:a 8176

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

BY *Lucy M. Aldana*
LUCY M. ALDANA
PERMIT SECTION
DATE 3-27-81

1672321-6/79



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

M 16559

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER
OR OPERATOR:

ASSOCIATED PLATING CO.
9636 ANN
SANTA FE SPRINGS, CALIFORNIA

APPL. NO. C-16705

EQUIPMENT
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

DEGREASER, DELTA, VAPOR-SPRAY TYPE, MODEL NO. DM-420, 2'-0"W. X 4'-0"L. X 4'-7"D., INSIDE TANK DIMENSIONS, STEAM-HEATED, WITH A 1/10-H.P. SPRAY PUMP.

-CONDITIONS-

1. THIS DEGREASER MUST BE OPERATED IN COMPLIANCE WITH RULE 112 AT ALL TIMES.
2. THE TOTAL QUANTITY OF COATINGS AND SOLVENTS USED IN THIS EQUIPMENT (NOT INCLUDING SALVAGED SOLVENT) MUST NOT EXCEED 5 GALLONS IN ANY ONE DAY.
3. ORGANIC SOLVENTS AND/OR COATINGS CONTAINING ORGANIC SOLVENTS USED IN THIS EQUIPMENT MUST BE CLEARLY LABELED AS NON-PHOTOCHEMICALLY REACTIVE BY THE SUPPLIER OR, FOR BULK SHIPMENTS, SHOWN TO BE NON-PHOTOCHEMICALLY REACTIVE ON BILLS OF LADING OR INVOICES.

This initial permit must be renewed by 3-27-82
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAPC0042

2500:a 8175

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

BY *Lucy M. Aldana*
LUCY M. ALDANA
DATE PERMIT SECTION
3-27-81

76P235M - 6/79



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 16557

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 6 meters of equipment.

LEGAL OWNER OR OPERATOR: ASSOCIATED PLATING CO.
9636 ANN
EQUIPMENT LOCATED AT: SANTA FE SPRINGS, CALIFORNIA

APPL. NO. C-16703

EQUIPMENT DESCRIPTION AND CONDITIONS:

HOT-OIL TANK, CUSTOM, 1'-6"W. X 2'-6"L. X 3'-4"D., INSIDE TANK DIMENSIONS, 18 KW ELECTRICALLY HEATED.

This initial permit must be renewed by 3-27-82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAPCDD44 2500:a 8175

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

BY *Lucy M. Aldana*
LUCY M. ALDANA

DATE PERMIT SECTION
3-27-81

76P235M - 6/79



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 25206

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: **STANLEY A GOLNICK, dba ASSOCIATED PLATING CO.**
9636 S. ANN ST.
EQUIPMENT LOCATED AT: **SANTA FE SPRINGS, CALIFORNIA**

APPL. NO. C-35219

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. SCRUBBER #2, HARRINGTON, VERTICAL-PACKED TYPE, MODEL NO. HPV 25000, 8'-0" W. X 8'-0" L. X 10'-0" H., WITH TWO 3/4-H.P. RECIRCULATING PUMPS.
2. EXHAUST SYSTEM WITH A 40-H.P. BLOWER VENTING TWO DUEL TIN PLATING TANKS, TWO COPPER PLATING TANKS, THREE ACID TANKS, ONE SOAK CLEANING TANK, AND ONE ELECTROCLEANING TANK.

-CONDITION-

THERE MUST BE AN ADEQUATE SUPPLY OF WATER TO THE SCRUBBER WHEN THE EQUIPMENT IT SERVES IS IN OPERATION.

This initial permit must be renewed by **6/01/83**
(Rule 301.1) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAQMD 002

345000a 8228

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

BY

DATE

JUN 22 '82

76P235M-REV. 2-81

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 25205

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 204 this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: STANLEY A. GOLNICK, dba ASSOCIATED PLATING CO.
9636 S. ANN ST.

APPL. NO. C-37549

EQUIPMENT LOCATED AT: SANTA FE SPRINGS, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

TANK, SOLVENT STORAGE, 4'-0" DIA. X 6'-8" H., 600 GALLON CAPACITY.

FILE COPY

This initial permit must be renewed by 6/01/83 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

Maria J. Cruz

BY

DATE

JUN 22 '82

SCAGHD 001

9000Da 8228

VOID UNLESS VALIDATED

76P235M-REV. 2-81



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 38273

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER
OR OPERATOR: ASSOCIATED PLATING CO.
9636 ANN STREET
EQUIPMENT
LOCATED AT: SANTA FE SPRINGS, CA 90670

APPL. NO. 120895

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. ELECTROSTATIC PRECIPITATOR, TEPCO, MODEL 2700 C, 1000-WATT INPUT
2. EXHAUST SYSTEM, WITH A 1-H.P. EXHAUST FAN VENTING ONE HOT-OIL TANK

-CONDITIONS-

1. THE PRECIPITATOR MUST BE INSPECTED AND CLEANED AT LEAST ONCE A WEEK.
2. THE EQUIPMENT MUST NOT OPERATE MORE THAN 16 HOURS IN ANY ONE DAY.

This initial permit must be renewed by 03/31/85 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.1) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

BY

VIRGINIA MOY

DATE

07/12/84

76P235M-REV. 2-81

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56856
A/N 200709 Page 1

*This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes, ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.*

Legal Owner
or Operator:

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995
ATTN:

ID: 008943

Equipment
located at :

SAME AS ABOVE

Equipment Description:

AQUEOUS SOLUTION LINE CONSISTING OF:

1. PICKLES METAL PRIOR TO PLATING, TANK No. 6, 14'-0" L X 2'-0" W X 3'-4" H, UNHEATED.
2. PICKLES METAL PRIOR TO PLATING, TANK No. 7, 14'-0" L X 2'-0" W X 3'-4" H, UNHEATED.
3. NICKLE PLATING, TANK No. 9, 14'-0" L X 2'-0" W X 3'-4" H, UNHEATED, WITH A 15 KVA RECTIFIER.
4. NICKEL DRAGOUT, TANK No. 10, 14'-0" L X 2'-0" W X 3'-4" H, UNHEATED.
5. TIN PLATING, TANK No. 18, 14'-0" L X 3'-0" W X 3'-4" H, UNHEATED.
6. TIN PLATING, TANK No. 19, 14'-0" L X 2'-0" W X 3'-4" H, UNHEATED.
7. ASSOCIATED RINSE TANKS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THE FOLLOWING TANK(S) SHALL NOT BE HEATED:

PICKLES METAL PRIOR TO PLATING TANK NO. 6.
PICKLES METAL PRIOR TO PLATING TANK NO. 7.
NICKLE PLATING TANK NO. 9.
NICKEL DRAGOUT TANK NO. 10.
TIN PLATING TANK NO. 18.
TIN PLATING TANK NO. 19.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56856
A/N 200709 Page

CONTINUATION OF PERMIT TO OPERATE

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey

By Dorris M. Bailey
September 3, 1992

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56857

A/N 200710 Page 1

*This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, continues the District.*

Legal Owner
or Operator:

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995
ATTN:

ID: 008943

Equipment
located at :

SAME AS ABOVE

Equipment Description:

AQUEOUS SOLUTION LINE CONSISTING OF:

1. DRAGOUT, TANK No. 5, 3'-0" L X 1'-8" W X 2'-6" H, UNHEATED.
2. LEAD PLATING, TANK No. 6, 4'-4" L X 3'-0" W X 2'-6" H, UNHEATED, WITH A 9 KVA RECTIFIER.
3. DRAGOUT, TANK No. 9, 3'-0" L X 1'-8" W X 2'-6" H, UNHEATED.
4. TIN PLATING, TANK No. 10, 4'-4" L X 2'-8" W X 2'-0" H, UNHEATED.
5. ACTIVATES METALS FOR PLATING, TANK No. 11, 3'-0" L X 1'-8" W X 2'-6" H, UNHEATED.
6. PICKLES METAL PRIOR TO PLATING, TANK No. 20, 3'-0" L X 1'-8" W X 2'-6" H, UNHEATED.
7. NICKLE PLATING, TANK No. 23, 2'-0" L X 2'-0" W X 3'-3" H, UNHEATED, WITH A 4.5 KVA RECTIFIER.
8. ASSOCIATED RINSE TANKS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THE FOLLOWING TANK(S) SHALL NOT BE HEATED:

DRAGOUT TANK NO. 5.
LEAD PLATING TANK NO. 6.
DRAGOUT TANK NO. 9.
TIN PLATING TANK NO. 10.
ACTIVATES METALS FOR PLATING TANK NO. 11.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765
PERMIT TO OPERATE

Permit No. D56857
A/N 200710 Page

CONTINUATION OF PERMIT TO OPERATE

PICKLES METAL PRIOR TO PLATING TANK NO. 20.
NICKLE PLATING TANK NO. 23.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey
By Dorris M. Bailey
September 3, 1992

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56854
A/N 200707 Page 1

*This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes, ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.*

Legal Owner
or Operator:

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995
ATTN:

ID: 008943

Equipment
located at :

SAME AS ABOVE

Equipment Description:

PRECIOUS-METAL PLATING LINE CONSISTING OF:

1. PICKLES METAL PRIOR TO PLATING, TANK No. 5, 2'-6" L X 1'-3" W X 2'-0" H, UNHEATED.
2. PICKLES METAL PRIOR TO PLATING, TANK No. 6, 2'-6" L X 1'-3" W X 2'-0" H, UNHEATED.
3. NICKLE PLATING, TANK No. 7, 2'-6" L X 1'-3" W X 2'-0" H, UNHEATED, WITH A 2 KVA RECTIFIER.
4. NICKLE PLATING, TANK No. 11, 3'-0" L X 2'-0" W X 2'-6" H, STEAM HEATED, WITH A 1.5 KVA RECTIFIER.
5. NICKLE PLATING, TANK No. 12, 2'-6" L X 2'-0" W X 2'-6" H, STEAM HEATED, WITH A 1.5 KVA RECTIFIER.
6. LEAD PLATING, TANK No. 22, 3'-0" L X 2'-0" W X 2'-6" H, UNHEATED, WITH A 1 KVA RECTIFIER.
7. DRAGOUT, TANK No. 23, 2'-0" L X 2'-0" W X 2'-6" H, UNHEATED.
8. DRAGOUT, TANK No. 24, 2'-0" L X 2'-0" W X 2'-6" H, UNHEATED.
9. ASSOCIATED RINSE TANKS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THE FOLLOWING TANK(S) SHALL NOT BE HEATED:

PICKLES METAL PRIOR TO PLATING TANK NO. 5.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56854
A/N 200707 Page

CONTINUATION OF PERMIT TO OPERATE

PICKLES METAL PRIOR TO PLATING TANK NO. 6.
NICKLE PLATING TANK NO. 7.
LEAD PLATING TANK NO. 22.
DRAGOUT TANK NO. 23.
DRAGOUT TANK NO. 24.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey

By Dorris M. Bailey
September 3, 1992

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56853
A/N 200706 Page 1

This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes ownership. If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner
or Operator:

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995
ATTN:

ID: 008943

Equipment
located at :

SAME AS ABOVE

Equipment Description:

NICKEL PLATING LINE CONSISTING OF:

1. PICKLES METAL PRIOR TO PLATING, TANK No. 1, 2'-0" L X2'-0" W X 3'-2" H, UNHEATED.
2. METAL SURFACE CLEANING, TANK No. 13, 2'-0" L X2'-0" W X 3'-2" H, UNHEATED.
3. RINSING, TANK No. 16, 2'-0" L X1'-0" W X 2'-8" H, UNHEATED.
4. BRIGHT DIPPING, TANK No. 17, 2'-0" L X1'-0" W X 2'-0" H, UNHEATED.
5. LEAD PLATING, TANK No. 18, 5'-0" L X1'-6" W X 1'-6" H, UNHEATED, WITH A 5 KVA RECTIFIER.
6. COPPER PLATING, TANK No. 27, 6'-0" L X3'-5" W X 3'-8" H, UNHEATED, WITH A 5 KVA RECTIFIER.
7. TIN PLATING, TANK No. 30, 6'-0" L X3'-5" W X 3'-7" H, UNHEATED, WITH A 15 KVA RECTIFIER.
8. DRAGOUT, TANK No. 31, 2'-0" L X1'-6" W X 3'-2" H, UNHEATED.
9. DRAGOUT, TANK No. 33, 2'-0" L X1'-6" W X 3'-2" H, UNHEATED.
10. COPPER PLATING, TANK No. 34/35, 6'-0" L X3'-6" W X 3'-8" H, UNHEATED, WITH A 5 KVA RECTIFIER.
11. NICKLE PLATING, TANK No. 37, 4'-0" L X2'-6" W X 2'-8" H, STEAM HEATED.
12. NICKLE PLATING, TANK No. 38, 4'-0" L X2'-6" W X 2'-8" H, STEAM HEATED.
13. ELECTROLESS NICKEL PLATING, TANK No. 39, 6'-0" L X2'-6" W X 2'-8" H, STEAM HEATED.
14. ASSOCIATED RINSE TANKS.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56853

A/N 200706 Page

CONTINUATION OF PERMIT TO OPERATE

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THE FOLLOWING TANK(S) SHALL NOT BE HEATED:

PICKLES METAL PRIOR TO PLATING TANK NO. 1.
METAL SURFACE CLEANING TANK NO. 13.
RINSING TANK NO. 16.
BRIGHT DIPPING TANK NO. 17.
LEAD PLATING TANK NO. 18.
COPPER PLATING TANK NO. 27.
TIN PLATING TANK NO. 30.
DRAGOUT TANK NO. 31.
DRAGOUT TANK NO. 33.
COPPER PLATING TANK NO. 34/35.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey

By Dorris M. Bailey
September 3, 1992

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56855
A/N 200708 Page 1

This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes ownership. If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner
or Operator:

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995
ATTN:

ID: 008943

Equipment
located at :

SAME AS ABOVE

Equipment Description:

TANK STRIPPING-OTHER LINE CONSISTING OF:

1. STRIPPING, TANK No. 1, 2'-0" L X 2'-0" W X 1'-5" H, UNHEATED.
2. STRIPPING, TANK No. 6, 2'-0" L X 2'-0" W X 1'-5" H, UNHEATED.
3. LEAD STRIPPING, TANK No. 7, 2'-0" L X 2'-0" W X 1'-5" H, UNHEATED.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THE FOLLOWING TANK(S) SHALL NOT BE HEATED:

STRIPPING TANK NO. 1.
STRIPPING TANK NO. 6.
LEAD STRIPPING TANK NO. 7.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56855
A/N 200708 Page

*This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes, ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.*

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED
ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF
THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF
CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT
CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES,
REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

By Dorris M. Bailey
September 3, 1992

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56851
A/N 200702 Page 1

This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes ownership. If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner
or Operator:

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995
ATTN:

ID: 008943

Equipment
located at :

SAME AS ABOVE

Equipment Description:

AQUEOUS SOLUTION LINE CONSISTING OF:

1. WATER TREATMENT, TANK No. X, 4'-0" D X 6'-5" H, UNHEATED.
2. WATER TREATMENT, TANK No. Y, 4'-0" D X 6'-4" H, UNHEATED.
3. WATER TREATMENT, TANK No. Z, 3'-6" D X 4'-0" H, UNHEATED.
4. WATER TREATMENT TANK, 7'-5" D X 12'-0" H, UNHEATED.
5. WATER TREATMENT TANK, 6'-0" D X 9'-3" H, UNHEATED.
6. WATER TREATMENT TANK, 4'-0" D X 4'-0" H, UNHEATED.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THE FOLLOWING TANK(S) SHALL NOT BE HEATED:

WATER TREATMENT TANK NO. X.
WATER TREATMENT TANK NO. Y.
WATER TREATMENT TANK NO. Z.
WATER TREATMENT TANK.
WATER TREATMENT TANK.
WATER TREATMENT TANK.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56851
A/N 200702 Page

CONTINUATION OF PERMIT TO OPERATE

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey

By Dorris M. Bailey
September 3, 1992

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Gopley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56852
A/N 200704 Page 1

*This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes, ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.*

Legal Owner
or Operator:

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995
ATTN:

ID: 008943

Equipment
located at :

SAME AS ABOVE

Equipment Description:

LEAD PLATING LINE CONSISTING OF:


1. PICKLES METAL PRIOR TO PLATING TANK, 3'-0" L X 1'-6" W X 2'-3" H, UNHEATED.
2. TIN BRIGHT TANK, 3'-0" L X 4'-3" W X 2'-6" H, UNHEATED, WITH A 15 KVA RECTIFIER.
3. METAL SURFACE CLEANING TANK, 2'-10" L X 1'-8" W X 4'-1" H, UNHEATED.
4. SOLDER PLATING TANK, 3'-0" L X 4'-0" W X 2'-6" H, UNHEATED, WITH A 15 KVA RECTIFIER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THE FOLLOWING TANK(S) SHALL NOT BE HEATED:

PICKLES METAL PRIOR TO PLATING TANK.
TIN BRIGHT TANK.
METAL SURFACE CLEANING TANK.
SOLDER PLATING TANK.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

Permit No. D56852
A/N 200704 Page

*This initial permit shall be renewed ANNUALLY unless the equipment is moved, or changes, ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.*

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey

By Dorris M. Bailey
September 8, 1992

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No. D89643 A/N 300849 Page 1
--

PERMIT TO CONSTRUCT/OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

**Legal Owner
or Operator:** ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995

ID 008943

Equipment Location: 9636 ANN ST., SANTA FE SPRINGS, CA 90670-2995

Equipment Description:

STORAGE TANK, FIXED ROOF TYPE, HYDROCHLORIC ACID, 4'-0" DIA. x 6'-2" H., WITH A 16-GALLON CAUSTIC VENT TRAP, AND A SPARGER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THIS TANK SHALL ONLY STORE HYDROCHLORIC ACID.
4. THE MAXIMUM QUANTITY OF HYDROCHLORIC ACID FILLED INTO THIS EQUIPMENT SHALL NOT EXCEED 1200 GALLONS PER DAY.
5. THROUGHPUT RECORDS, TYPES OF LIQUIDS STORED AND THE TRUE VAPOR PRESSURE RANGES OF SUCH LIQUIDS SHALL BE MAINTAINED IN A FORMAT APPROVED BY THE DIRECTOR OF STATIONARY SOURCE AND COMPLIANCE, KEPT ON FILE FOR A MINIMUM OF TWO YEARS, AND MADE AVAILABLE UPON REQUEST OF DISTRICT PERSONNEL.
6. A TEMPERATURE GAUGE SHALL BE INSTALLED TO MONITOR THE TEMPERATURE OF MATERIALS STORED IN THIS TANK. THE TEMPERATURE SHALL NOT EXCEED 90 DEGREES FAHRENHEIT.
7. THE CAUSTIC CONTAINER SHALL CONTAIN A SODIUM HYDROXIDE SOLUTION OF 5-10% CAUSTIC (BY WEIGHT).

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No.
D89643
A/N 300849
Page 2

PERMIT TO CONSTRUCT/OPERATE

CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

8. THE SPARGER SHALL HAVE NUMEROUS BRANCHES IN THE FORM OF AN "H" OR "X" CONFIGURATION.
9. THE HEIGHT OF THE CAUSTIC SOLUTION ABOVE THE SPARGER SHALL BE MAINTAINED AT 18 INCHES OR MORE.
10. THE DIAMETER OF THE ORIFICES USED ON THE SPARGER SHALL BETWEEN 1/16 - 1/8 INCH.
11. THE TOTAL AREA OF ALL ORIFICES PLACED ON THE SPARGER SHALL EXCEED THE CROSS SECTIONAL AREA OF THE DOWNCOMER OF THE VENT LINE BY 200 PER CENT OR MORE.
12. THE STORAGE TANK SHALL BE EITHER BOTTOM FILLED OR EQUIPPED WITH A SUBMERGED FILL TUBE IF FILLED FROM THE TOP.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

By Dorris M. Bailey/ak
4/04/1995

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No.
D91134
A/N 303166

Page 1

PERMIT TO CONSTRUCT/OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

**Legal Owner
or Operator:**

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995

ID 008943

Equipment Location: 9636 ANN ST., SANTA FE SPRINGS, CA 90670-2995

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. SCRUBBER NO. 2, HARRINGTON, VERTICAL-PACKED TYPE, MODEL NO. HPV 25000, 8'-0" W. x 8'-0" L. x 10'-0" H., WITH TWO 3/4-HP RECIRCULATING PUMPS.
2. EXHAUST SYSTEM WITH A 40-HP BLOWER VENTING THREE TIN PLATING TANKS, TWO 60/40 TIN/LEAD PLATING TANKS, THREE COPPER PLATING TANKS, FIVE HYDROCHLORIC ACID TANKS, FOUR NICKEL PLATING TANKS, AND EIGHT ALKALINE CLEANER TANKS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THIS EQUIPMENT SHALL BE IN OPERATION WHENEVER TANK NOS. 7, 11, 12, 28, AND 30 VENTED TO IT ARE IN OPERATION.
4. A FLOWMETER INDICATING GALLONS PER MINUTE, SHALL BE INSTALLED IN THE RECIRCULATION LINE TO THE SCRUBBER.
5. NOT LESS THAN 20 GPM OF RECIRCULATING SCRUBBING SOLUTION SHALL BE SUPPLIED TO THE SCRUBBER SPRAY NOZZLES WHEN THE EQUIPMENT IT SERVES IS IN OPERATION.
6. A PH INDICATOR SHALL BE INSTALLED TO MONITOR THE PH OF THE SCRUBBER SOLUTION. THE CIRCULATING WATER TO THE SCRUBBER SHALL BE MAINTAINED AT PH 8 OR HIGHER.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No.
D91134
A/N 303166

Page 2

PERMIT TO CONSTRUCT/OPERATE

CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

A handwritten signature in cursive script that reads "Dorris M. Bailey".

By Dorris M. Bailey/ak
6/05/1995

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No.
D91134
A/N 303166

Page 1

PERMIT TO CONSTRUCT/OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

**Legal Owner
or Operator:**

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995

ID 008943

Equipment Location: 9636 ANN ST., SANTA FE SPRINGS, CA 90670-2995

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. SCRUBBER NO. 2, HARRINGTON, VERTICAL-PACKED TYPE, MODEL NO. HPV 25000, 8'-0" W. x 8'-0" L. x 10'-0" H., WITH TWO 3/4-HP RECIRCULATING PUMPS.
2. EXHAUST SYSTEM WITH A 40-HP BLOWER VENTING THREE TIN PLATING TANKS, TWO 60/40 TIN/LEAD PLATING TANKS, THREE COPPER PLATING TANKS, FIVE HYDROCHLORIC ACID TANKS, FOUR NICKEL PLATING TANKS, AND EIGHT ALKALINE CLEANER TANKS.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THIS EQUIPMENT SHALL BE IN OPERATION WHENEVER TANK NOS. 7, 11, 12, 28, AND 30 VENTED TO IT ARE IN OPERATION.
4. A FLOWMETER INDICATING GALLONS PER MINUTE, SHALL BE INSTALLED IN THE RECIRCULATION LINE TO THE SCRUBBER.
5. NOT LESS THAN 20 GPM OF RECIRCULATING SCRUBBING SOLUTION SHALL BE SUPPLIED TO THE SCRUBBER SPRAY NOZZLES WHEN THE EQUIPMENT IT SERVES IS IN OPERATION.
6. A PH INDICATOR SHALL BE INSTALLED TO MONITOR THE PH OF THE SCRUBBER SOLUTION. THE CIRCULATING WATER TO THE SCRUBBER SHALL BE MAINTAINED AT PH 8 OR HIGHER.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No.
D91134
A/N 303166

Page 2

PERMIT TO CONSTRUCT/OPERATE

CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

A handwritten signature in cursive script that reads "Dorris M. Bailey".

By Dorris M. Bailey/ak
6/05/1995

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No.
D91131
A/N 300847
Page 1

PERMIT TO OPERATE

This initial permit must be renewed **ANNUALLY** unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner
or Operator:

ASSOCIATED PLATING CO
9636 ANN ST.
SANTA FE SPRINGS, CA 90670-2995

ID 008943

Equipment Location: 9636 ANN ST., SANTA FE SPRINGS, CA 90670-2995

Equipment Description:

PRECIOUS-METAL PLATING LINE CONSISTING OF:

1. PICKLING TANK, NO. 5, HYDROCHLORIC ACID, 1'-3" W. x 2'-6" L. x 2'-0" H.
2. PICKLING TANK, NO. 6, HYDROCHLORIC ACID, 1'-3" W. x 2'-6" L. x 2'-0" H.
3. PLATING TANK, NO. 7, HYDROCHLORIC ACID & NICKEL CHLORIDE, 1'-3" W. x 2'-6" L. x 2'-0" H., WITH A 10 VOLT, 200 AMP RECTIFIER.
4. PLATING TANK, NO. 11, BORIC ACID, NITRIC ACID & NICKEL CHLORIDE, 2'-0" W. x 3'-0" L. x 2'-6" H., WITH A 15 VOLT, 100 AMP RECTIFIER, AND STEAM HEATED.
5. PLATING TANK, NO. 12, NITRIC ACID, NICKEL CHLORIDE, & BORIC ACID, 2'-0" W. x 2'-6" L. x 2'-6" H., WITH A 10 VOLT, 200 AMP RECTIFIER, AND STEAM HEATED.
6. PLATING TANK, NO. 22, TIN/LEAD & HYDROFLUOBORIC ACID, 2'-0" W. x 3'-0" L. x 2'-6" H., WITH A 10 VOLT, 100 AMP RECTIFIER.
7. DRAGOUT TANK, NO. 23, NITRIC ACID & PHOSPHORIC ACID, 2'-0" W. x 2'-0" L. x 2'-6" H.
8. DRAGOUT TANK, NO. 23, NITRIC ACID & PHOSPHORIC ACID, 2'-0" W. x 2'-0" L. x 2'-6" H.
9. PLATING TANK, NO. 28, NICKEL CHLORIDE & HYDROCHLORIC ACID, 2'-0" W. x 3'-0" L. x 3'-0" H., WITH A 15 VOLT, 1000 AMP RECTIFIER.
10. PLATING TANK, NO. 30, NICKEL CHLORIDE/SULFATE & BORIC ACID, 1'-6" W. x 4'-10" L. x 2'-6" H., WITH A 15 VOLT, 1000 AMP RECTIFIER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No.
D91131
A/N 300847
Page 2

PERMIT TO OPERATE

CONTINUATION OF PERMIT TO OPERATE

ISSUED UNLESS OTHERWISE NOTED BELOW.

2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. TANK NOS. 7, 11, 12, 28, AND 30 SHALL NOT BE OPERATED UNLESS EACH IS VENTED TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED A PERMIT BY THE EXECUTIVE OFFICER.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey

By Dorris M. Bailey/ak
6/05/1995



Facility Information Detail (FIND)

[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#) | [Transportation](#)

Compliance

Facility ID 8943
Company Name ASSOCIATED PLATING CO
Address 9636 ANN ST
SANTA FE SPRINGS, CA 90670

Notices Of Violaton: NONE

Notices To Comply: NONE

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)